

**INFORME MENSUAL SOBRE LAS ESPECIFICACIONES DEL GAS NATURAL**

**(Valores promedio diarios)**

<b>PERMISIONARIO:</b>	<b>Compañía Nacional de Gas SA de CV - Permiso G/11/DIS/1997</b>
<b>PUNTO DE MEDICIÓN:</b>	<b>Cruce Internacional I - Estacion Importacion Rio Bravo</b>
<b>ZONA DE MEDICIÓN:</b>	<b>RESTO DEL PAÍS</b>

FECHA: (dd/mm/aa)	Metano (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Total Inertes (% vol)	Etano (% vol)	Temperatura de Rocio (K)	Humedad (mg/m <sup>3</sup> )	Poder Calorífico (MJ/m <sup>3</sup> )	Índice Wobbe (MJ/m <sup>3</sup> )	Acido Sulfhídrico (mg/m <sup>3</sup> )
01/03/15	89.4317	0.3571	0.1604	0.5175	7.2862		164.6697	41.6908	52.9652	7.5813
02/03/15	89.0339	0.3770	0.1609	0.5379	7.4583		200.3909	41.8801	53.0548	3.9055
03/03/15	88.7555	0.3616	0.1609	0.5225	7.5741		224.0982	42.0341	53.1493	8.9597
04/03/15	88.1556	0.3542	0.1522	0.5064	7.8584		207.7593	42.3326	53.3207	1.8379
05/03/15	88.3170	0.3472	0.1419	0.4891	7.7248		238.6750	42.2880	53.3056	30.7846
06/03/15	88.0397	0.3943	0.1381	0.5324	7.9006		212.5649	42.3688	53.3197	8.5002
07/03/15	87.6893	0.3547	0.1369	0.4916	8.1313		218.9723	42.5558	53.4486	6.8921
08/03/15	87.3978	0.3793	0.1351	0.5145	8.2721		209.5214	42.6684	53.4940	7.3516
09/03/15	88.1622	0.3430	0.1306	0.4736	7.7261		197.1872	42.4545	53.4032	0.0000
10/03/15	88.0749	0.3896	0.1348	0.5245	7.7082		197.5075	42.4807	53.3840	10.5679
11/03/15	88.9827	0.3574	0.1496	0.5071	7.3341		209.8417	41.9956	53.1355	7.5813
12/03/15	90.0597	0.2807	0.1459	0.4265	6.9008		292.8173	41.4760	52.9063	17.2302
13/03/15	89.3966	0.2558	0.1286	0.3843	7.3370		241.8786	41.8109	53.1142	0.0000
14/03/15	89.2143	0.2879	0.1345	0.4225	7.4091		155.0586	41.9058	53.1411	8.5002
15/03/15	89.4417	0.2738	0.1351	0.4089	7.2787		269.1100	41.8068	53.0964	10.3381
16/03/15	89.7934	0.3322	0.1303	0.4625	6.9473		239.1555	41.6309	52.9624	4.3650
17/03/15	89.6283	0.2886	0.1827	0.4713	7.1126		251.4897	41.6738	52.9923	6.6623
18/03/15	90.0844	0.3375	0.1294	0.4669	6.9590		253.0916	41.3943	52.8302	2.2974
19/03/15	89.7060	0.2948	0.1310	0.4258	7.2575		260.2999	41.5808	52.9611	3.9055
20/03/15	89.4025	0.3697	0.1215	0.4912	7.2984		264.4647	41.7016	52.9801	9.4192
21/03/15	88.5142	0.3625	0.1335	0.4960	7.6774		276.7989	42.1883	53.2447	4.1352
22/03/15	88.9992	0.3520	0.1376	0.4896	7.3798		279.5220	41.9678	53.1298	0.6892
23/03/15	89.1155	0.3099	0.1281	0.4380	7.4237		252.4508	41.9107	53.1317	10.1084
24/03/15	89.3504	0.3310	0.1255	0.4565	7.3223		271.6730	41.7495	53.0308	4.8245
25/03/15	88.8017	0.3171	0.1435	0.4606	7.4678		281.6044	42.1126	53.2295	7.5813
26/03/15	88.6557	0.3304	0.1418	0.4721	7.4761		309.1561	42.2225	53.2807	0.0000
27/03/15	89.0673	0.2865	0.1472	0.4337	7.3569		263.3434	42.0273	53.2020	5.9731
28/03/15	89.1783	0.3031	0.1484	0.4515	7.2575		295.3803	41.9492	53.1477	0.0000
29/03/15	89.7974	0.2720	0.1504	0.4224	7.0060		252.9314	41.6503	53.0050	3.2163
30/03/15	89.1014	0.3017	0.1389	0.4406	7.3923		249.5675	41.9504	53.1539	4.5947
31/03/15	89.1496	0.3060	0.1387	0.4447	7.3787		252.4508	41.9260	53.1378	3.4460

<b>Azufre total*</b> (mg/m <sup>3</sup> )	<b>Oxígeno*</b> (% vol)

**\*/ Los valores trimestrales se deberán reportar en los meses de enero, abril, julio y octubre de cada año, respecto del trimestre inmediato anterior.**

<b>Mínimo</b>	87.3978	0.2558	0.1215	0.3843	6.9008		155.0586	41.3943	52.8302	0.0000
<b>Promedio</b>	88.9838	0.3293	0.1411	0.4704	7.4391		241.7236	41.9802	53.1503	6.4919
<b>Máximo</b>	90.0844	0.3943	0.1827	0.5379	8.2721		309.1561	42.6684	53.4940	30.7846
<b>Desv. Est.</b>	0.678248525	0.038038751	0.012872932	0.039780116	0.32245356		37.37256501	0.324323333	0.164688307	5.968706857

**INFORME MENSUAL SOBRE LAS ESPECIFICACIONES DEL GAS NATURAL**  
(Valores promedio diarios)

<b>PERMISIONARIO:</b>	Compañía Nacional de Gas SA de CV - Permiso G/11/DIS/1997
<b>PUNTO DE MEDICIÓN:</b>	Cruce Internacional II - Estacion Importacion Rio Bravo
<b>ZONA DE MEDICIÓN:</b>	<u>RESTO DEL PAÍS</u>

FECHA: (dd/mm/aa)	Metano (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Total Inertes (% vol)	Etano (% vol)	Temperatura de Rocio (K)	Humedad (mg/m <sup>3</sup> )	Poder Calorífico (MJ/m <sup>3</sup> )	Índice Wobbe (MJ/m <sup>3</sup> )	Acido Sulfhídrico (mg/m <sup>3</sup> )
01/03/15	87.6980	0.5100	0.3110	0.8210	8.4110			41.7629		
02/03/15										
03/03/15										
04/03/15										
05/03/15										
06/03/15										
07/03/15										
08/03/15										
09/03/15										
10/03/15										
11/03/15										
12/03/15										
13/03/15										
14/03/15										
15/03/15										
16/03/15										
17/03/15										
18/03/15										
19/03/15										
20/03/15										
21/03/15										
22/03/15										
23/03/15										
24/03/15										
25/03/15										
26/03/15										
27/03/15										
28/03/15										
29/03/15										
30/03/15										
31/03/15										

<b>Azufre total*</b> (mg/m <sup>3</sup> )	<b>Oxígeno*</b> (% vol)

\*/ Los valores trimestrales se deberán reportar en los meses de enero, abril, julio y octubre de cada año, respecto del trimestre inmediato anterior.

<b>Mínimo</b>	87.6980	0.5100	0.3110	0.8210	8.4110	0.0000	0.0000	41.7629	0.0000	0.0000
<b>Promedio</b>	87.6980	0.5100	0.3110	0.8210	8.4110	#iDIV/0!	#iDIV/0!	41.7629	#iDIV/0!	#iDIV/0!
<b>Máximo</b>	87.6980	0.5100	0.3110	0.8210	8.4110	0.0000	0.0000	41.7629	0.0000	0.0000
<b>Desv. Est.</b>	87.6980	0.5100	0.3110	0.8210	8.4110	0.0000	0.0000	41.7629	0.0000	0.0000

**INFORME MENSUAL SOBRE LAS ESPECIFICACIONES DEL GAS NATURAL  
(Registros máximos diarios)**

**PERMISIONARIO:** Compañía Nacional de Gas SA de CV - Permiso G/11/DIS/1997  
**PUNTO DE MEDICIÓN:** Cruce Internacional I - Estacion Importacion Rio Bravo  
**ZONA DE MEDICIÓN:** RESTO DEL PAÍS

FECHA: (dd/mm/aa)	Metano (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Total Inertes (% vol)	Etano (% vol)	Temperatura de Rocio (K)	Humedad (mg/m <sup>3</sup> )	Poder Calorífico (MJ/m <sup>3</sup> )	Índice Wobbe (MJ/m <sup>3</sup> )	Acido Sulfhídrico (mg/m <sup>3</sup> )
01/03/15	89.5343	0.3644	0.1630	0.5274	7.3326	0.0000	164.6697	41.7364	52.9908	7.5813
02/03/15	89.2346	0.3953	0.1644	0.5524	7.5173	0.0000	200.3909	41.9673	53.1039	3.9055
03/03/15	89.0420	0.3810	0.1648	0.5353	7.6627	0.0000	224.0982	42.1259	53.1922	8.9597
04/03/15	88.3329	0.3628	0.1536	0.5164	7.9563	0.0000	207.7593	42.5193	53.4274	1.8379
05/03/15	88.4670	0.3617	0.1452	0.4982	7.7757	0.0000	238.6750	42.3342	53.3318	30.7846
06/03/15	88.2581	0.4495	0.1401	0.5871	7.9935	0.0000	212.5649	42.4498	53.3655	8.5002
07/03/15	87.8042	0.3608	0.1467	0.5075	8.2805	0.0000	218.9723	42.6145	53.4723	6.8921
08/03/15	87.8063	0.3949	0.1381	0.5330	8.4796	0.0000	209.5214	42.8105	53.5596	7.3516
09/03/15	88.1965	0.3540	0.1343	0.4883	7.7546	0.0000	197.1872	42.4790	53.4188	0.0000
10/03/15	88.1495	0.4011	0.1377	0.5336	7.7480	0.0000	197.5075	42.5153	53.4050	10.5679
11/03/15	89.7409	0.4017	0.1598	0.5379	7.5594	0.0000	209.8417	42.3348	53.2960	7.5813
12/03/15	90.1396	0.2875	0.1617	0.4492	6.9558	0.0000	292.8173	41.5081	52.9202	17.2302
13/03/15	89.4983	0.2610	0.1318	0.3919	7.3820	0.0000	241.8786	41.8515	53.1469	0.0000
14/03/15	90.1338	0.3621	0.1480	0.5101	7.6451	0.0000	155.0586	42.3184	53.3087	8.5002
15/03/15	89.8583	0.2807	0.1412	0.4137	7.4030	0.0000	269.1100	41.9320	53.1608	10.3381
16/03/15	89.9275	0.4344	0.1409	0.5753	7.0374	0.0000	239.1555	41.7147	52.9857	4.3650
17/03/15	89.7602	0.3509	0.2314	0.5032	7.1841	0.0000	251.4897	41.7512	53.0282	6.6623
18/03/15	90.2726	0.3687	0.1345	0.4931	7.1557	0.0000	253.0916	41.5472	52.9519	2.2974
19/03/15	89.8846	0.3076	0.1327	0.4377	7.3007	0.0000	260.2999	41.6546	52.9930	3.9055
20/03/15	89.8671	0.4146	0.1250	0.5351	7.5900	0.0000	264.4647	42.0194	53.1235	9.4192
21/03/15	88.7188	0.3791	0.1380	0.5032	7.7586	0.0000	276.7989	42.2614	53.2927	4.1352
22/03/15	89.2944	0.3606	0.1448	0.4988	7.6344	0.0000	279.5220	42.1834	53.2553	0.6892
23/03/15	89.6767	0.3235	0.1285	0.4512	7.5535	0.0000	252.4508	42.1199	53.2364	10.1084
24/03/15	90.0849	0.3519	0.1317	0.4746	7.5677	0.0000	271.6730	42.1329	53.2290	4.8245
25/03/15	88.9006	0.3233	0.1459	0.4685	7.5215	0.0000	281.6044	42.1408	53.2426	7.5813
26/03/15	88.9054	0.3513	0.1484	0.4882	7.5561	0.0000	309.1561	42.2880	53.3130	0.0000
27/03/15	89.1858	0.2958	0.1513	0.4434	7.4204	0.0000	263.3434	42.1018	53.2358	5.9731
28/03/15	89.4006	0.3216	0.1503	0.4702	7.3242	0.0000	295.3803	42.0755	53.2048	0.0000
29/03/15	90.3753	0.3022	0.1522	0.4544	7.2934	0.0000	252.9314	42.0298	53.1903	3.2163
30/03/15	89.6211	0.3178	0.1430	0.4547	7.5802	0.0000	249.5675	42.1471	53.2562	4.5947
31/03/15	89.6005	0.3138	0.1402	0.4528	7.5150	0.0000	252.4508	42.0777	53.2159	3.4460
<b>Máximo</b>	90.3753	0.4495	0.2314	0.5871	8.4796	0.0000	309.1561	42.8105	53.5596	30.7846

**INFORME MENSUAL SOBRE LAS ESPECIFICACIONES DEL GAS NATURAL**  
(Registros máximos diarios)

PERMISIONARIO: Compañía Nacional de Gas SA de CV - Permiso G/11/DIS/1997  
 PUNTO DE MEDICIÓN: Cruce Internacional II - Estacion Importacion Rio Bravo  
 ZONA DE MEDICIÓN: RESTO DEL PAÍS

FECHA: (dd/mm/aa)	Metano (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Total Inertes (% vol)	Etano (% vol)	Temperatura de Rocio (K)	Humedad (mg/m <sup>3</sup> )	Poder Calorífico (MJ/m <sup>3</sup> )	Índice Wobbe (MJ/m <sup>3</sup> )	Acido Sulfhídrico (mg/m <sup>3</sup> )
01/03/15	87.6980	0.5100	0.3110	0.8210	8.4110			41.7629		
02/03/15										
03/03/15										
04/03/15										
05/03/15										
06/03/15										
07/03/15										
08/03/15										
09/03/15										
10/03/15										
11/03/15										
12/03/15										
13/03/15										
14/03/15										
15/03/15										
16/03/15										
17/03/15										
18/03/15										
19/03/15										
20/03/15										
21/03/15										
22/03/15										
23/03/15										
24/03/15										
25/03/15										
26/03/15										
27/03/15										
28/03/15										
29/03/15										
30/03/15										
31/03/15										
<b>Máximo</b>	87.6980	0.5100	0.3110	0.8210	8.4110	0.0000	0.0000	41.7629	0.0000	0.0000

**INFORME MENSUAL SOBRE LAS ESPECIFICACIONES DEL GAS NATURAL**  
(Registros mínimos diarios)

**PERMISIONARIO:** Compañía Nacional de Gas SA de CV - Permiso G/11/DIS/1997  
**PUNTO DE MEDICIÓN:** Cruce Internacional I - Estacion Importacion Rio Bravo  
**ZONA DE MEDICIÓN:** RESTO DEL PAÍS

FECHA: (dd/mm/aa)	Metano (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Total Inertes (% vol)	Etano (% vol)	Temperatura de Rocio (K)	Humedad (mg/m <sup>3</sup> )	Poder Calorífico (MJ/m <sup>3</sup> )	Índice Wobbe (MJ/m <sup>3</sup> )	Acido Sulfhídrico (mg/m <sup>3</sup> )
01/03/15	89.3332	0.3439	0.1544	0.5061	7.2467	0.0000	164.6697	41.6248	52.9231	7.5813
02/03/15	88.8825	0.3550	0.1571	0.5171	7.3689	0.0000	200.3909	41.8000	53.0254	3.9055
03/03/15	88.5558	0.3388	0.1543	0.5036	7.4578	0.0000	224.0982	41.8948	53.0871	8.9597
04/03/15	87.8949	0.3462	0.1513	0.4975	7.7889	0.0000	207.7593	42.2251	53.2559	1.8379
05/03/15	88.2060	0.3343	0.1365	0.4795	7.6505	0.0000	238.6750	42.2243	53.2759	30.7846
06/03/15	87.8771	0.3393	0.1369	0.4770	7.7496	0.0000	212.5649	42.2699	53.2668	8.5002
07/03/15	87.4757	0.3504	0.1322	0.4826	8.0669	0.0000	218.9723	42.5055	53.4209	6.8921
08/03/15	87.0222	0.3658	0.1308	0.4998	7.9659	0.0000	209.5214	42.5452	53.4318	7.3516
09/03/15	88.1453	0.3331	0.1271	0.4602	7.6811	0.0000	197.1872	42.4102	53.3703	0.0000
10/03/15	88.0072	0.3762	0.1325	0.5097	7.6585	0.0000	197.5075	42.4397	53.3565	10.5679
11/03/15	88.3388	0.3104	0.1362	0.4702	7.0401	0.0000	209.8417	41.6091	52.9524	7.5813
12/03/15	89.9531	0.2774	0.1358	0.4132	6.8530	0.0000	292.8173	41.4453	52.8927	17.2302
13/03/15	89.3387	0.2453	0.1209	0.3662	7.2750	0.0000	241.8786	41.7529	53.0783	0.0000
14/03/15	88.4015	0.1964	0.1140	0.3104	7.1607	0.0000	155.0586	41.4460	52.9629	8.5002
15/03/15	89.2047	0.2669	0.1311	0.4044	7.0476	0.0000	269.1100	41.5944	52.9826	10.3381
16/03/15	89.6097	0.2836	0.1206	0.4197	6.7978	0.0000	239.1555	41.5852	52.9331	4.3650
17/03/15	89.4762	0.2569	0.1441	0.4010	6.9877	0.0000	251.4897	41.5988	52.9476	6.6623
18/03/15	89.8398	0.2804	0.1244	0.4126	6.8591	0.0000	253.0916	41.2868	52.7681	2.2974
19/03/15	89.5610	0.2799	0.1301	0.4108	7.2118	0.0000	260.2999	41.4856	52.9195	3.9055
20/03/15	88.7169	0.3148	0.1164	0.4398	7.1273	0.0000	264.4647	41.5068	52.9096	9.4192
21/03/15	88.3751	0.3474	0.1225	0.4854	7.6109	0.0000	276.7989	42.0618	53.1696	4.1352
22/03/15	88.5677	0.3368	0.1302	0.4794	7.2076	0.0000	279.5220	41.8267	53.0481	0.6892
23/03/15	88.7309	0.3040	0.1277	0.4325	7.1814	0.0000	252.4508	41.6142	52.9736	10.1084
24/03/15	88.6572	0.3001	0.1208	0.4318	7.0506	0.0000	271.6730	41.3685	52.8413	4.8245
25/03/15	88.7430	0.3084	0.1390	0.4516	7.3764	0.0000	281.6044	42.0705	53.2017	7.5813
26/03/15	88.5160	0.3169	0.1369	0.4608	7.3722	0.0000	309.1561	42.0892	53.2165	0.0000
27/03/15	88.9616	0.2791	0.1448	0.4243	7.3061	0.0000	263.3434	41.9687	53.1725	5.9731
28/03/15	88.9397	0.2758	0.1461	0.4227	7.1828	0.0000	295.3803	41.8287	53.1015	0.0000
29/03/15	89.0522	0.2456	0.1488	0.3959	6.8060	0.0000	252.9314	41.3322	52.8499	3.2163
30/03/15	88.7113	0.2781	0.1369	0.4159	7.1830	0.0000	249.5675	41.6877	53.0275	4.5947
31/03/15	88.8485	0.2937	0.1371	0.4339	7.1521	0.0000	252.4508	41.7191	53.0326	3.4460

<b>Mínimo</b>	87.0222	0.1964	0.1140	0.3104	6.7978	0.0000	155.0586	41.2868	52.7681	0.0000
---------------	---------	--------	--------	--------	--------	--------	----------	---------	---------	--------

**INFORME MENSUAL SOBRE LAS ESPECIFICACIONES DEL GAS NATURAL  
(Registros mínimos diarios)**

**PERMISIONARIO:** Compañía Nacional de Gas SA de CV - Permiso G/11/DIS/1997  
**PUNTO DE MEDICIÓN:** Cruce Internacional II - Estacion Importacion Rio Bravo  
**ZONA DE MEDICIÓN:** RESTO DEL PAÍS

FECHA: (dd/mm/aa)	Metano (% vol)	Bióxido de Carbono (% vol)	Nitrógeno (% vol)	Total Inertes (% vol)	Etano (% vol)	Temperatura de Rocio (K)	Humedad (mg/m <sup>3</sup> )	Poder Calorífico (MJ/m <sup>3</sup> )	Índice Wobbe (MJ/m <sup>3</sup> )	Acido Sulfhídrico (mg/m <sup>3</sup> )
01/03/15	87.6980	0.5100	0.3110	0.8210	8.4110			41.7629		
02/03/15										
03/03/15										
04/03/15										
05/03/15										
06/03/15										
07/03/15										
08/03/15										
09/03/15										
10/03/15										
11/03/15										
12/03/15										
13/03/15										
14/03/15										
15/03/15										
16/03/15										
17/03/15										
18/03/15										
19/03/15										
20/03/15										
21/03/15										
22/03/15										
23/03/15										
24/03/15										
25/03/15										
26/03/15										
27/03/15										
28/03/15										
29/03/15										
30/03/15										
31/03/15										

<b>Mínimo</b>	87.6980	0.5100	0.3110	0.8210	8.4110	0.0000	0.0000	41.7629	0.0000	0.0000
---------------	---------	--------	--------	--------	--------	--------	--------	---------	--------	--------

Analisis calidad gas natural cruce internacional # 1 Importacon Rio Bravo BTU 1115.4 = 41.5580 MJ/m3

GAS TESTING AND MEASUREMENT  
PETROLEUM LABORATORY  
PHYSICAL TEST  
GAS SURVEYS

GAS PRODUCTION SURVEYS  
BACK PRESSURE TESTS  
ELECTRONIC VOLUMES  
CHART INTEGRATION

### THURMOND-McGLOTHLIN, INC.

#### NATURAL GAS MEASUREMENT

2688 Business I-35 East  
Pearsall, Texas 78061  
830-334-8900

COMPONENTS	MOL %	GPM
Carbon Dioxide	0.512	
Nitrogen	0.188	
Methane	88.418	14.904
Ethane	8.162	2.169
Propane	1.665	0.456
iso-Butane	0.271	0.088
n-Butane	0.395	0.124
iso-Pentane	0.112	0.041
n-Pentane	0.082	0.030
Hexane +	0.195	0.085

100.000

GASOLINE CONTENT @ 14.65 PSIA & 60 F

DATE RUN: February 25, 2015  
PLANT:  
COMPANY: WTG  
PURCHASER:  
LEASE: MEXICO STATION  
STATION: 781-006  
PRESSURE: 180 #  
TEMPERATURE: 63 F  
CYLINDER: TM 11360  
ANALYSIS BY: TM11 IM  
SECURED BY: A.RAMIREZ  
DATE SAMPLED: 02/18/15

REMARKS: COMPOSITE

	GPM
PROPANE & HEAVIER	0.824
BUTANE & HEAVIER	0.368
PENTANE & HEAVIER	0.156

Gross Heating Value  
BTU @ 14.65 PSIA & 60 F  
Dry 1115.4  
Wet 1095.8

RESULTS TO:  
West Texas Gas

SPECIFIC GRAVITY  
0.6339

\*Based on GPA 2145 & 2172

*Natural gas is one of our Most Valuable and Profitable Properties. Careful  
Conservation and Expert Handling will pay Abundant Dividends.*

GAS TESTING AND MEASUREMENT  
 PETROLEUM LABORATORY  
 PHYSICAL TEST  
 GAS SURVEYS

GAS PRODUCTION SURVEYS  
 BACK PRESSURE TESTS  
 ELECTRONIC VOLUMES  
 CHART INTEGRATION

**THURMOND-McGLOTHLIN, INC.**

NATURAL GAS MEASUREMENT  
 2688 Business I-35 East  
 Pearsall, Texas 78061  
 830-334-8900

COMPONENTS	MOL %	GPM	DATE RUN:	February 25, 2015
Carbon Dioxide	0.510		PLANT:	
Nitrogen	0.311		COMPANY:	WTG
Methane	87.698	14.783	PURCHASER:	
Ethane	8.411	2.236	LEASE:	CUSTOM STATION
Propane	1.896	0.519	STATION:	781-009
iso-Butane	0.366	0.119	PRESSURE:	420#
n-Butane	0.468	0.147	TEMPERATURE:	58 F
iso-Pentane	0.130	0.047	CYLINDER:	TM 11429
n-Pentane	0.087	0.031	ANALYSIS BY:	TM11 IM
Hexane +	0.123	0.053	SECURED BY:	A.RAMIREZ
			DATE SAMPLED:	02/18/15

100.000

GASOLINE CONTENT @ 14.65 PSIA & 60 F      REMARKS:      COMPOSITE

	GPM
PROPANE & HEAVIER	0.916
BUTANE & HEAVIER	0.397
PENTANE & HEAVIER	0.131

Gross Heating Value  
 BTU @ 14.65 PSIA & 60 F  
 Dry      1120.9  
 Wet      1101.3

RESULTS TO:  
 West Texas Gas

SPECIFIC GRAVITY  
 0.6388

\*Based on GPA 2145 & 2172

*Natural gas is one of our Most Valuable and Profitable Properties. Careful  
 Conservation and Expert Handling will pay Abundant Dividends.*